

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	19117	((709/203) or (709/208) or (709/219) or (709/236) or (709/217) or (709/207)). OCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/09 11:23
L2	46	((associat\$3 or connect\$3 or link\$3 or conjunct\$3 or combin\$3) near5 ((tool or device or apparatus or computer or client or server or node) adj3 ("ID" or identif\$3 or "UID")))) with (product near5 (indicia or information or data or identif\$3 or tag \$4)) same ((scan\$4 or read \$3)near bar near5 code) and ((associat\$3 or connect\$3 or link\$3 or conjunct\$3 or combin\$3)near5 remot\$)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/09 11:23
L3	19117	((709/203) or (709/208) or (709/219) or (709/236) or (709/217) or (709/207)). OCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/09 11:23
L4	24	L3 and L2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/09 11:23
L5	1	((associat\$3 or connect\$3 or link\$3 or conjunct\$3 or combin\$3) near5 ((tool or device or apparatus or computer or client or server or node) adj3 ("ID" or identif\$3 or "UID")))) and (product near5 (indicia or information or data or identif\$3)) same (bar\$3 adj3 code adj3 read \$3) and L1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/09 11:26

L6	0	((associat\$3 or connect\$3 or link\$3 or conjunct\$3 or combin\$3) near5 ((tool or device or apparatus or computer or client or server or node) adj3 ("ID" or identif\$3 or "UID")))) and ((product near5 (indicia or information or data or identif\$3)) same (bar\$3 adj3 code adj3 read\$3)same scan\$4) and I1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/09 11:26
L8	54	(PHILYAW and JEFFRY).inv. and I3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/09 11:38
L9	27	(MATHEWS and DAVID).inv. and I3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/09 11:39
S1	2468954	((associat\$3 or connect\$3 or link\$3) near5 (tool or device or apparatus or computer or client or server or node))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/05 17:27
S2	25117	((associat\$3 or connect\$3 or link\$3 or conjunct\$3) near5 ((tool or device or apparatus or computer or client or server or node) adj3 ("ID" or identif\$3 or "UID"))))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/05 17:59
S3	351	((associat\$3 or connect\$3 or link\$3 or conjunct\$3) near5 ((tool or device or apparatus or computer or client or server or node) adj3 ("ID" or identif\$3 or "UID")))) same (product near5 (indicia ir informtaion or data or identif\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/05 18:00
S5	214	((associat\$3 or connect\$3 or link\$3 or conjunct\$3 or combin\$3) near5 ((tool or device or apparatus or computer or client or server or node) adj3 ("ID" or identif\$3 or "UID")))) with (product near5 (indicia ir informtaion or data or identif\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/05 19:58

S8	1	((associat\$3 or connect\$3 or link\$3 or conjunct\$3 or combin\$3) near5 ((tool or device or apparatus or computer or client or server or node) adj3 ("ID" or identif\$3 or "UID")))) same (product near5 (indicia ir informtaion or data or identif\$3)) same (bar\$3 adj3 code adj3 read\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 13:16
S9	89	((associat\$3 or connect\$3 or link\$3 or conjunct\$3 or combin\$3) near5 ((tool or device or apparatus or computer or client or server or node) adj3 ("ID" or identif\$3 or "UID")))) same (product near5 (indicia ir informtaion or data or identif\$3)) and (bar\$3 adj3 code adj3 read\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/05 21:27
S10	358	((associat\$3 or connect\$3 or link\$3 or conjunct\$3 or combin\$3) near5 ((tool or device or apparatus or computer or client or server or node) adj3 ("ID" or identif\$3 or "UID")))) same (product near5 (indicia ir informtaion or data or identif\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/05 21:28
S11	27	((associat\$3 or connect\$3 or link\$3 or conjunct\$3 or combin\$3) near5 ((tool or device or apparatus or computer or client or server or node) adj3 ("ID" or identif\$3 or "UID")))) same (product near5 (indicia ir informtaion or data or identif\$3)) and ((scan\$4 or read\$3) near bar near5 code)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/05 21:28
S12	27	((associat\$3 or connect\$3 or link\$3 or conjunct\$3 or combin\$3) near5 ((tool or device or apparatus or computer or client or server or node) adj3 ("ID" or identif\$3 or "UID")))) same (product near5 (indicia ir informtion or data or identif\$3)) and ((scan\$4 or read\$3) near bar near5 code)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/05 21:29

S13	2	((associat\$3 or connect\$3 or link\$3 or conjunct\$3 or combin\$3) near5 ((tool or device or apparatus or computer or client or server or node) adj3 ("ID" or identif\$3 or "UID")))) same (product near5 (indicia ir informtion or data or identif\$3)) same ((scan\$4 or read\$3)near bar near5 code)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/05 21:30
S15	45	((associat\$3 or connect\$3 or link\$3 or conjunct\$3 or combin\$3) near5 ((tool or device or apparatus or computer or client or server or node) adj3 ("ID" or identif\$3 or "UID")))) same (product near5 (indicia or information or data or identif\$3)) same ((scan\$4 or read\$3)near bar near5 code)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/05 21:30
S16	45	((associat\$3 or connect\$3 or link\$3 or conjunct\$3 or combin\$3) near5 ((tool or device or apparatus or computer or client or server or node) adj3 ("ID" or identif\$3 or "UID")))) same (product near5 (indicia or information or data or identif\$3 or tag\$4)) same ((scan\$4 or read\$3)near bar near5 code)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/05 21:31
S17	45	((associat\$3 or connect\$3 or link\$3 or conjunct\$3 or combin\$3) near5 ((tool or device or apparatus or computer or client or server or node) adj3 ("ID" or identif\$3 or "UID")))) with (product near5 (indicia or information or data or identif\$3 or tag\$4)) same ((scan\$4 or read\$3)near bar near5 code)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/05 21:31

S18	43	((associat\$3 or connect\$3 or link\$3 or conjunct\$3 or combin\$3) near5 ((tool or device or apparatus or computer or client or server or node) adj3 ("ID" or identif\$3 or "UID")))) with (product near5 (indicia or information or data or identif\$3 or tag \$4)) same ((scan\$4 or read \$3)near bar near5 code) and ((associat\$3 or connect\$3 or link\$3 or conjunct\$3 or combin\$3)near5 remot\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/05 21:33
S20	0	((associat\$3 or connect\$3 or link\$3 or conjunct\$3 or combin\$3) near5 ((tool or device or apparatus or computer or client or server or node) adj3 ("ID" or identif\$3 or "UID")))) with (product near5 (indicia or information or data or identif\$3 or tag \$4)) same ((scan\$4 or read \$3)near bar near5 code) and ((associat\$3 or connect\$3 or link\$3 or conjunct\$3 or combin\$3)near5 remot\$3) and @pd<="19980911"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/05 21:36
S21	0	((associat\$3 or connect\$3 or link\$3 or conjunct\$3 or combin\$3) near5 ((tool or device or apparatus or computer or client or server or node) adj3 ("ID" or identif\$3 or "UID")))) with (product near5 (indicia or information or data or identif\$3 or tag \$4)) same ((scan\$4 or read \$3)near bar near5 code) and ((associat\$3 or connect\$3 or link\$3 or conjunct\$3 or combin\$3)near5 remot\$3) and @pd<="20010911"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/05 21:37
S22	3	"6701354".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/05 21:38
S23	17666	((709/203) or (709/208) or (709/219) or (709/236) or (709/217) or (709/207)). OCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/10 12:55

S24	23	S23 and S18	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/05 21:39
S25	25148	((associat\$3 or connect\$3 or link\$3 or conjunct\$3) near5 ((tool or device or apparatus or computer or client or server or node) adj3 ("ID" or identif\$3 or "UID"))))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 12:53
S26	92	(PHILYAW and JEFFRY).inv.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 12:55
S27	55	(PHILYAW and JEFFRY).inv. and S25	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 12:56
S28	43	((associat\$3 or connect\$3 or link\$3 or conjunct\$3 or combin\$3) near5 ((tool or device or apparatus or computer or client or server or node) adj3 ("ID" or identif\$3 or "UID")))) with (product near5 (indicia or information or data or identif\$3 or tag \$4)) same ((scan\$4 or read \$3)near bar near5 code) and ((associat\$3 or connect\$3 or link\$3 or conjunct\$3 or combin\$3)near5 remot\$)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 12:56
S29	17690	((709/203) or (709/208) or (709/219) or (709/236) or (709/217) or (709/207)). OCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/10 12:56
S30	23	S29 and S28	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 12:56

S31	23	(PHILYAW and JEFFRY).inv. and S30	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 13:03
S32	0	(MATHEWS and DAVID).inv. and S30	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 12:56
S33	1	((associat\$3 or connect\$3 or link\$3 or conjunct\$3 or combin\$3) near5 ((tool or device or apparatus or computer or client or server or node) adj3 ("ID" or identif \$3 or "UID")))) same (product near5 (indicia ir informtaion or data or identif \$3)) same (bar\$3 adj3 code adj3 read\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 13:17
S34	1	((associat\$3 or connect\$3 or link\$3 or conjunct\$3 or combin\$3) near5 ((tool or device or apparatus or computer or client or server or node) adj3 ("ID" or identif \$3 or "UID")))) same (product near5 (indicia or information or data or identif \$3)) same (bar\$3 adj3 code adj3 read\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 13:18
S35	158	((associat\$3 or connect\$3 or link\$3 or conjunct\$3 or combin\$3) near5 ((tool or device or apparatus or computer or client or server or node) adj3 ("ID" or identif \$3 or "UID")))) and (product near5 (indicia or information or data or identif\$3)) same (bar\$3 adj3 code adj3 read \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 14:53
S36	117	((associat\$3 or connect\$3 or link\$3 or conjunct\$3 or combin\$3) near5 ((tool or device or apparatus or computer or client or server or node) adj3 ("ID" or identif \$3 or "UID")))) and ((product near5 (indicia or information or data or identif \$3)) same (bar\$3 adj3 code adj3 read\$3)same scan\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 14:53

4/ 9/ 08 11:41:21 AM

C:\Documents and Settings\jjeangilles\My Documents\EAST\Workspaces\10791665.wsp